



**Legend:**

- LOW LEVEL DRAINAGE PIPEWORK
- - - HIGH LEVEL DRAINAGE PIPEWORK
- RE|| RODDING EYE
- DRAINAGE CONNECTION
- WC DRAINAGE CONNECTION
- VP VENT PIPEWORK
- FG XX FLOOR GULLEY REFERENCE
- S/S XX STUB STACK REFERENCE
- SVP XX SOIL VENT PIPE REFERENCE
- CD CONDENSATE

- Notes:**
1. DO NOT SCALE THIS DRAWING. ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED.
  2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECT'S STRUCTURAL ENGINEERS AND M&E DRAWINGS AND THE M&E SPECIFICATION, SAMPLES SHEET AND ROOM DATA SHEETS.
  3. ALL ITEMS OF EQUIPMENT SHALL BE INSTALLED AS TO THE MANUFACTURER'S RECOMMENDATIONS.
  4. ALL INFORMATION AND LAYOUTS DETAILED ON THIS DRAWING ARE SUBJECT TO SITE DIMENSION CHECKS.
  5. ALL SVPS SHALL BE Ø100 AND BOXED IN.
  6. WCS AND URINALS MAY SHARE HORIZONTAL WASTE PIPES, WASH HAND BASINS AND SINKS MAY SHARE HORIZONTAL WASTE PIPES, HOWEVER WC/URINAL WASTE PIPES SHALL NOT BE USED FOR DRAINING WASH HAND BASIN OR SINKS.
  7. ALL WCS SHALL BE CONNECTED TO Ø100 CONNECTORS AND SOIL PIPES, ALL URINALS SHALL BE CONNECTED TO Ø40 CONNECTORS AND SOIL PIPES.
  8. ALL SINGLE WASH HAND BASINS SHALL BE CONNECTED TO Ø32 WASTE PIPE WITH BOTTLE TRAP. ALL SINGLE SINKS SHALL BE CONNECTED TO Ø40 WASTE PIPE WITH BOTTLE TRAP. ALL EXPOSED BOTTLE TRAPS SHALL BE CHROME PLATED.
  9. ALL HORIZONTAL WASTE PIPES SHALL BE INSTALLED TO FALL WITH A MINIMUM FALL OF 1:80
  10. FOR BELOW GROUND DRAINAGE DETAILS, REFER TO THE STRUCTURAL ENGINEER'S DRAWINGS AND SPECIFICATION.

SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION
FOR DETAILS OF SITE-WIDE AND GENERAL RISKS, TO BE READ IN CONJUNCTION WITH THESE NOTES, SEE THE CONTRACT DOCUMENTS AND, WHERE WORKS ARE NOTIFIABLE, THE PRE-CONSTRUCTION INFORMATION PACK ISSUED BY THE CDM CO-ORDINATOR
IN ADDITION TO THE RISKS NORMALLY ASSOCIATED WITH THE TYPES OF WORK DETAILED ON THIS DRAWING, NOTE THE FOLLOWING RISKS AND INFORMATION:
DISMANTLING / DEMOLITION (Future)
Di. Dil. Div.
IT IS ASSUMED THAT ALL WORKS WILL BE CARRIED OUT BY A COMPETENT CONTRACTOR WORKING, WHERE APPROPRIATE, TO AN APPROVED METHOD STATEMENT

THIS DRAWING IS NOT TO BE USED FOR CONSTRUCTION. THIS DRAWING SHOWS DESIGN INTENT ONLY. THE CONTRACTOR SHALL COMPLETE THE DESIGN BASED ON THE INFORMATION PROVIDED ON THIS DRAWING, THE M&E SPECIFICATION, THE ROOM DATA SHEETS AND THE OTHER DOCUMENTS COMPILING THE EMPLOYER'S REQUIREMENTS

TO3	25.04.19	BMAP	TXK	NJS	RELOCATED SVPS.
TO2	02.04.19	OJR	TXK	NJS	SINK RELOCATED
TO1	07.03.19	EJS	TXK	NJS	TENDER ISSUE

Rev	Date	By	Chk	Aprvd	Description
-----	------	----	-----	-------	-------------

PROJECT  
**Tavistock Guildhall**

CLIENT  
**Tavistock Guildhall**



www.methodllp.com Swindon Tel: 01793 822044

DRAWING TITLE  
**Proposed Above Ground Drainage Layout Ground Floor**

SUITABILITY  
**S2 - FOR INFORMATION**

DATE	SCALE	DRWN BY	CHK BY	APVD BY
15.10.18	1:50 - A1	BJP	TXK	NJS
DRAWING NUMBER	REVISION NO.			
<b>716LGH-MET-00-00-DR-M-Ss_50-0001</b>	<b>D2 - T03</b>			

Scaling Note: Do NOT scale from this drawing.