



- Legend:**
- WATER OUTLET
 - THERMOSTATIC MIXING VALVE
 - PIPEWORK RISE/DROP
 - SUB METER
 - WATER LEAK DETECTION PANEL
 - HEATRAE SADIA MULTIPPOINT 3kW 15Ltrs
 - HIGH LEVEL CONCEALED
 - LOW LEVEL CONCEALED

- Notes:**
1. DO NOT SCALE THIS DRAWING. ALL DIMENSIONS IN MILLIMETRES UNLESS OTHERWISE STATED.
 2. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECT'S STRUCTURAL ENGINEERS AND M&E DRAWINGS AND THE M&E SPECIFICATION, SAMPLES SHEET AND ROOM DATA SHEETS.
 3. ALL ITEMS OF EQUIPMENT SHALL BE INSTALLED AS TO THE MANUFACTURER'S RECOMMENDATIONS.
 4. ALL INFORMATION AND LAYOUTS DETAILED ON THIS DRAWING ARE SUBJECT TO SITE DIMENSION CHECKS.
 6. COLD WATER TAPS ON THE RIGHT HAND SIDE, HOT WATER TAPS ON THE LEFT HAND SIDE.
 7. CARTRIDGE VALVE TYPE FLOW RESTRICTIONS SHALL BE INSTALLED ON ALL OUTLETS AS FOLLOWS (AS MEASURED AT 3bar WATER PRESSURE):
 WHB - 3Ltrs/min.
 SINKS - 5Ltrs/min.
 SHOWERS - 8Ltrs/min.

SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION
FOR DETAILS OF SITE WIDE AND GENERAL RISKS, TO BE READ IN CONJUNCTION WITH THESE NOTES, SEE THE CONTRACT DOCUMENTS AND, WHERE WORKS ARE NOTIFIABLE, THE PRE-CONSTRUCTION INFORMATION PACK ISSUED BY THE CDM CO-ORDINATOR
IN ADDITION TO THE RISKS NORMALLY ASSOCIATED WITH THE TYPES OF WORK DETAILED ON THIS DRAWING, NOTE THE FOLLOWING RISKS AND INFORMATION:
CONSTRUCTION Cl. EXISTING CORRIDOR CRAWL DUCTS ARE A CONFINED SPACE. METHODS STATEMENT FOR ANY WORKS IN THESE AREAS TO BE AGREED WITH ASTON ESTATES PRIOR TO COMMENCEMENT Cii. ASBESTOS PRESENT IN EXISTING PIPE LAGGING WITHIN CRAWL DUCTS. DO NOT DISTURB THIS. METHOD STATEMENT TO BE AGREED WITH ASTON ESTATES DEPARTMENT. Ciii. ALL WORK AT HEIGHT TO BE CARRIED OUT ON TOWERS NOT LADDERS. WORK AT HEIGHT METHOD STATEMENT TO BE AGREED WITH ASTON ESTATES DEPARTMENT
DISMANTLING / DEMOLITION (Future) Di. Dii. Diii. Div.
IT IS ASSUMED THAT ALL WORKS WILL BE CARRIED OUT BY A COMPETENT CONTRACTOR WORKING, WHERE APPROPRIATE, TO AN APPROVED METHOD STATEMENT

T01	07.03.19	EXL	TXK	NIS	TENDER ISSUE
Rev	Date	By	Chk	Aprvd	Description

PROJECT
Tavistock Guildhall

CLIENT

Tavistock Guildhall



www.methodllp.com Swindon Tel: 01793 822044

DRAWING TITLE
Proposed Hot & Cold Water Services First Floor

SUITABILITY
S2 - FOR INFORMATION

DATE	SCALE	DRWN BY	CHK BY	APVD BY
16.10.18	1:50 - A1	OJR	NJS	NJS

DRAWING NUMBER	REVISION NO.
716LGH-MET-00-01-DR-E-Ss_55-0001	D2 - T01

Scaling Note: Do NOT scale from this drawing.

THIS DRAWING IS NOT TO BE USED FOR CONSTRUCTION. THIS DRAWING SHOWS DESIGN INTENT ONLY. THE CONTRACTOR SHALL COMPLETE THE DESIGN BASED ON THE INFORMATION PROVIDED ON THIS DRAWING, THE M&E SPECIFICATION, THE ROOM DATA SHEETS AND THE OTHER DOCUMENTS COMPILING THE EMPLOYER'S REQUIREMENTS